



# City of Fort Myers, Florida

*Engineering Division  
Stormwater Management  
P.O. Drawer 2217  
Ft. Myers, FL 33902  
PH# (239) 321-7630  
FAX# (239) 344-594*

October 19, 2018

**RE: FDEP ID: COM 288039, Weekly Update**

Jon Iglehart  
South District Director, FDEP  
2295 Victoria Avenue, Suite 364  
Fort Myers, Florida 33901

Dear Mr. Iglehart,

This letter constitutes the weekly update requested by FDEP concerning the removal of the lime residual at the South Street Property.

The October groundwater monitoring samples were collected on Monday, 10-15-2018. The tree removal continues to proceed. Mats were brought onto the site to provide a more stable surface for the removal equipment.

During the next week the City plans to continue with the tree removal. The trees will be mulched on-site after all the trees and stumps have been removed. The mulch from the tops of the trees will be recycled and utilized for projects around the City of Fort Myers. The stumps will be disposed of at the Lee Hendry Landfill. It is anticipated that the silviculture project will continue for the next two weeks.

The City of Fort Myers will continue to coordinate with FDEP to facilitate the Removal Plan and monitoring.

If you have any other questions or concerns please contact me at (239) 321-7630.

Thank you.

Richard H Thompson, P.E.  
City of Fort Myers  
Stormwater Resource Manager

Cc Mark Martin  
Scott McManus  
Richard Moulton  
Saeed Kazemi